

HIV/AIDS SURVEILLANCE

BIANNUAL

SUMMARY

COMMONWEALTH OF PENNSYLVANIA

DECEMBER 2004

**DEPARTMENT OF
HEALTH**

*Edward G. Rendell, Governor
Calvin Johnson, MD, Secretary of Health*

**The HIV/AIDS Surveillance Biannual Summary is prepared by the
Bureaus of Epidemiology and Health Statistics & Research
Pennsylvania Department of Health**

Bureau of Epidemiology
Division of Infectious Disease Epidemiology
HIV/AIDS Epidemiology Section

James N. Logue, DrPH, Acting Bureau Director
James T. Rankin, DVM, MPH, PhD, Division Director
Geroncio C. Fajardo, MD, MBA, MS, MS, Epidemiologist
Ming Wei, MD, MPH, Epidemiologist
Bonnie L. Krampe, MPH, Epidemiology Research Associate
Benjamin R. Muthambi, DrPH, MPH, Epidemiologist
Martin Ngokion, MD, MPH, Epidemiology Program Specialist
Regan L. Rickert, MPH, Epidemiology Program Specialist
Vacant, Clerk Typist

Bureau of Health Statistics and Research
Division of Statistical Support

Patricia Potrzebowski, Ph.D., Bureau Director
Jerry Orris, Division Director
Alden Small, Ph.D., Biostatistician Supervisor
James Lehman, M.S., Statistical Analyst

The HIV/AIDS Surveillance & Epidemiology Section gratefully acknowledges the support of county/municipal health departments, physicians and hospitals reporting AIDS cases. This project is funded by a grant award from the Centers for Disease Control and Prevention(CDC).

Requests for reprints, quarterly updates and inquiries may be sent to:

ATTN: 'Biannual' Requests
HIV/AIDS Epidemiology Section
Division of Infectious Disease Epidemiology
Bureau of Epidemiology
PA Department of Health
P.O. Box 90
Harrisburg, PA 17108

Expanded analysis of data presented in the Biannual Summary and other HIV/AIDS Epidemiologic data may be requested by sending e-mail to c-hivepi@state.pa.us or through the Department's web site at: <http://www.health.state.pa.us/hiv-epi/> (please download the "Biannual Summary" or use the online Data Requests form at this site) or by telephone/fax to our office at 717-783-0481(tel) or 717-772-6975(fax). Please scroll down the menu of links on the left frame of the web site to "Quarterly/Biannual Summary" and "Data Requests", respectively.

The Pennsylvania Department of Health is an equal opportunity provider of grants, contracts, services and employment

Suggested Citation of Data Source:	HIV/AIDS Surveillance Biannual Summary
Bureaus of Epidemiology & Health Statistics and Research, PA Dept. of Health	

Publication Number: HD0234P

HIV/AIDS Surveillance Biannual Summary

Table of Contents

	PAGE
SUMMARY TABLE PENNSYLVANIA AIDS CASES, UNITED STATES AIDS CASES, PENNSYLVANIA HIV INFECTION	4
FIGURE 1 ANNUAL INCIDENCE 1980-2004	5
FIGURE 2 ANNUAL INCIDENCE 1980-2004, CURRENT MORTALITY STATUS BY YEAR OF DIAGNOSIS	6
TABLE 1 ANNUAL INCIDENCE 1980-2004, ADULT/ADOLESCENT AND PEDIATRIC BY YEAR OF DIAGNOSIS	7
TABLE 2 ANNUAL INCIDENCE 1999-2003, SEX AND RACE/ETHNICITY BY YEAR OF DIAGNOSIS	8
TABLE 3 1980-1998 and 1999-2004, ADULT/ADOLESCENT AND PEDIATRIC; RACE/ETHNICITY BY SEX	9
TABLE 4 ANNUAL INCIDENCE 1999-2003, AGE BY YEAR OF DIAGNOSIS	10
TABLE 5 ANNUAL INCIDENCE 1999-2003, MODE OF TRANSMISSION BY YEAR OF DIAGNOSIS	11
TABLE 6 1980-1998 and 1999-2004, MODE OF TRANSMISSION BY RACE/ETHNICITY	12
TABLE 7 1980-1998 and 1999-2004, INFECTED BEFORE AGE 13 BY MODE OF TRANSMISSION	13
TABLE 8 AIDS DEFINING ILLNESSES BY TIME INTERVAL OF DIAGNOSIS, 1980-2004	14
TABLE 9 CUMULATIVE CASES 1980-2004, MORTALITY STATUS BY COUNTY OF RESIDENCE	15
TABLE 10 ANNUAL INCIDENCE 1999-2002 BY COUNTY OF RESIDENCE	16
FIGURE 3 ANNUAL INCIDENCE FOR 2002, NUMBER OF NEW CASES IN EACH COUNTY	17
FIGURE 4 ANNUAL INCIDENCE FOR 2002, INCIDENCE RATE (PER 100,000) FOR EACH COUNTY	18
TABLE 11 CHARACTERISTICS OF AIDS CASES BY TIME INTERVAL OF DIAGNOSIS, 1980-2004	19
CHARACTERISTICS OF AIDS CASES FOR 7 GEOGRAPHICAL AREAS	
TABLE 12 BY TIME INTERVAL OF DIAGNOSIS, 1980-2004, THE PHILADELPHIA AIDS CONSORTIUM	20
TABLE 13 BY TIME INTERVAL OF DIAGNOSIS, 1980-2004, AIDSNET	21
TABLE 14 BY TIME INTERVAL OF DIAGNOSIS, 1980-2004, NORTHEASTERN REGIONAL HIV PLANNING COALITION	22
TABLE 15 BY TIME INTERVAL OF DIAGNOSIS, 1980-2004, NORTH CENTRAL DISTRICT AIDS COALITION	23
TABLE 16 BY TIME INTERVAL OF DIAGNOSIS, 1980-2004, SOUTH CENTRAL PENNSYLVANIA AIDS PLANNING COALITION	24
TABLE 17 BY TIME INTERVAL OF DIAGNOSIS, 1980-2004, SOUTHWEST PENNSYLVANIA AIDS PLANNING COALITION	25
TABLE 18 BY TIME INTERVAL OF DIAGNOSIS, 1980-2004, NORTHWEST PENNSYLVANIA RURAL AIDS ALLIANCE	26
PUBLICLY FUNDED HIV COUNSELING & TESTING IN PENNSYLVANIA	
TABLE 19 NUMBER OF VISITS BY CLIENT'S COUNTY OF RESIDENCE, 2000-2004	28
TABLE 20A NUMBER OF VISITS IN 2003 BY AGE, RACE/ETHNICITY AND SEX	29
TABLE 20B NUMBER OF VISITS IN 2004 BY AGE, RACE/ETHNICITY AND SEX	30
TABLE 21A NUMBER OF VISITS IN 2003 BY SELF-ACKNOWLEDGED RISK EXPOSURE GROUP	31
TABLE 21B NUMBER OF VISITS IN 2004 BY SELF-ACKNOWLEDGED RISK EXPOSURE GROUP	32

SUMMARY TABLE

Cases of HIV(Human Immunodeficiency Virus), Perinatal Exposure to HIV,
low*[^] CD4 cell counts, and AIDS (Acquired Immune Deficiency Syndrome)
Among Pennsylvania Residents
Reported During the Periods Indicated Under Each Table^{^^^}

The numbers below and in subsequent tables do not include potential AIDS cases that do not have information or are missing information for any of the following specific variables: a) Name of patient, b) Date of birth, c) Race or Ethnicity, d) Sex of patient, e) Vital status of patient, f) Date of AIDS diagnosis or Date of Opportunistic Infection, and g) County of residence when diagnosed. It also excludes records with certain logical inconsistencies (such as a date of death earlier than the date of birth).

PENNSYLVANIA (INCL. PHILADELPHIA COUNTY) AIDS CASES			
	NUMBER OF CASES	NUMBER DEAD	PERCENT DEAD
TOTAL(AIDS)	30,444	15,401	51
ADULT(AIDS)	30,099	15,253	51
PEDIATRIC(AIDS)	345	148	43

^{^^^}Reported during the period January 1, 1980 through December 31, 2004

UNITED STATES AIDS CASES			
	NUMBER OF CASES	NUMBER DEAD	PERCENT DEAD
TOTAL(AIDS)	929,985	524,060	56
ADULT(AIDS)	920,566	518,568	56
PEDIATRIC(AIDS)	9,419	5,492	58

^{^^}**Estimated** Number of Diagnoses through December 31, 2003*

*Centers For Disease Control and Prevention.

HIV/AIDS Surveillance Report, 2004,15

[^]National cumulative data on HIV cases reported are not yet available due to disparate incomparable HIV reporting systems (data from code-based HIV reporting States are not accepted by CDC).

UNDUPLICATED HIV (NOT-AIDS) CASES & PERINATAL EXPOSURE^{^^}, Oct 2002-Dec 2004 (EXCL. PHILADELPHIA COUNTY),			
	NUMBER OF CASES	NUMBER DEAD	PERCENT DEAD
TOTAL HIV(NOT AIDS)	1,295	10	0.8
ADULT	1,286	10	0.8
PEDIATRIC	9	0	0.0
<hr/>			
PERINATAL EXPOSURE (NOT AIDS)	51	0	0.0

^{^^^}First diagnosis reported (meeting respective case definitions) during the period October 18, 2002 through December 31, 2004

To show the difference in the number of HIV cases in Pennsylvania when the first diagnosis reported include cases from January 1, 2000 through December 31, 2004 , a separate table is shown below.


UNDUPLICATED HIV (NOT-AIDS) CASES & PERINATAL EXPOSURE^{^^}, Jan 2000-Dec 2004 (EXCL. PHILADELPHIA COUNTY),			
	NUMBER OF CASES	NUMBER DEAD	PERCENT DEAD
TOTAL HIV(NOT AIDS)	2,404	47	2.0
ADULT	2,386	47	2.0
PEDIATRIC	18	0	0.0
<hr/>			
PERINATAL EXPOSURE (NOT AIDS)	122	1	0.8

^{^^^}First diagnosis reported (meeting respective case definitions) during the period January, 1 2000 through December 31, 2004

^{^^} Perinatal exposure (non-AIDS) cases regardless of HIV status


The cumulative data presented in the table above are provided as a preview of progress in reporting processes and should not be used to infer the number of HIV cases in Pennsylvania due to incompleteness and reporting delays inherent in the early phases of surveillance system implementation. Moreover, these data do not include potential HIV (NOT AIDS) cases that do not have information or are missing information for any of the following specific variables: a) First positive result date, b) Current record status, c) Date of patient birth, d) Sex of patient, e) Patient's race, and f) State of residence when HIV+.

Figure 1
Annual Incidence for AIDS in Pennsylvania
1980-2004



[^]Decline in AIDS incidence may be due to decrease in AIDS diagnosis attributable to improved antiretroviral therapy and
^{*}partially due to reporting delays.

Figure 2
Annual Incidence for AIDS in Pennsylvania
Current Mortality Status by Year of Diagnosis
1980-2004



[^]Decline in AIDS incidence may be due to decrease in AIDS diagnosis attributable to improved antiretroviral therapy and

^{**}partially due to reporting delays.

TABLE 1
ANNUAL INCIDENCE FOR AIDS IN PENNSYLVANIA
AMONG ADULT/ADOLESCENT AND PEDIATRIC CASES
BY YEAR OF DIAGNOSIS, 1980-2004

YEAR OF DIAGNOSIS	ADULT/ADOLESCENT	PEDIATRIC	TOTAL
1980	1	0	1
1981	5	1	6
1982	22	2	24
1983	58	2	60
1984	143	2	145
1985	304	7	311
1986	492	8	500
1987	796	12	808
1988	997	15	1,012
1989	1,202	21	1,223
1990	1,360	21	1,381
1991	1,770	18	1,788
1992	2,325	40	2,365
1993	2,305	41	2,346
1994	2,194	24	2,218
1995	2,271	32	2,303
1996	2,048	24	2,072
1997	1,723	20	1,743
1998	1,566	16	1,582
1999	1,850	16	1,866
2000	1,516	7	1,523
2001 [^]	1,491	5	1,496
2002 ^{^*}	1,472	7	1,479
2003 ^{^*}	1,325	1	1,326
2004 ^{^*}	863	3	866
Total =	30,099	345	30,444

[^]Decline in AIDS incidence may be due to decrease in AIDS diagnosis attributable to improved antiretroviral therapy and

*partially due to reporting delays.

TABLE 2
ANNUAL INCIDENCE FOR AIDS IN PENNSYLVANIA
SEX AND RACE/ETHNICITY BY YEAR OF DIAGNOSIS
1999-2003

	1999		2000		2001 [^]		2002 ^{^*}		2003 ^{^*}		1980-2004 TOTAL TO DATE	
	NUMBER	percent ^{^**}	NUMBER	percent ^{^**}	NUMBER	percent ^{^**}	NUMBER	percent ^{^**}	NUMBER	percent ^{^**}	NUMBER	percent ^{^**}
TOTAL MALE =	1,387	74	1,086	71	1,081	72	1,042	70	927	70	24,118	79
WHITE (NON-HISPANIC)	446	24	344	23	348	23	342	23	296	22	9,813	32
BLACK (NON-HISPANIC)	776	42	613	40	603	40	554	37	496	37	11,588	38
HISPANIC	157	8	123	8	121	8	130	9	123	9	2,588	9
ASIAN/PACIFIC	5	0	4	0	4	0	10	1	10	1	86	0
NATIVE AMERICAN	1	0	1	0	1	0	0	0	1	0	11	0
OTHER & UNKNOWN	2	0	1	0	4	0	6	0	1	0	32	0
TOTAL FEMALE =	479	26	437	29	415	28	437	30	399	30	6,326	21
WHITE (NON-HISPANIC)	95	5	96	6	95	6	94	6	74	6	1,477	5
BLACK (NON-HISPANIC)	313	17	288	19	269	18	289	20	267	20	3,877	13
HISPANIC	68	4	48	3	49	3	52	4	52	4	935	3
ASIAN/PACIFIC	3	0	2	0	2	0	0	0	1	0	17	0
NATIVE AMERICAN	0	0	1	0	0	0	0	0	2	0	8	0
OTHER & UNKNOWN	0	0	2	0	0	0	2	0	3	0	12	0
TOTAL =	1,866	100	1,523	100	1,496	100	1,479	100	1,326	100	30,444	100

Any records that had multiple races and not Hispanic ethnicity would be in 'OTHER & UNKNOWN'.

[^]Decline in AIDS incidence may be due to decrease in AIDS diagnosis attributable to improved antiretroviral therapy and
^{*}partially due to reporting delays.

^{^**}Percentages may not add to 100% due to 'rounding' .

TABLE 3
ADULT/ADOLESCENT AND PEDIATRIC AIDS IN PENNSYLVANIA
RACE/ETHNICITY BY SEX
1980-1998 and 1999-2004

	1980-1998		1999-2004 [^]		1980-2004 TOTAL TO DATE	
	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}
MALE						
TOTAL	17,989		6,129		24,118	
TOTAL ADULT/ADOLESENT	17,810	100	6,112	100	23,922	100
WHITE (NON-HISPANIC)	7,818	44	1,954	32	9,772	41
BLACK (NON-HISPANIC)	8,106	46	3,371	55	11,477	48
HISPANIC	1,811	10	734	12	2,545	11
ASIAN/PACIFIC	52	0	33	1	85	0
NATIVE AMERICAN	6	0	5	0	11	0
OTHER & UNKNOWN	17	0	15	0	32	0
TOTAL PEDIATRIC	179	100	17	100	196	100
WHITE (NON-HISPANIC)	38	21	3	18	41	21
BLACK (NON-HISPANIC)	97	54	14	82	111	57
HISPANIC	43	24	0	0	43	22
ASIAN/PACIFIC	1	1	0	0	1	1
NATIVE AMERICAN	0	0	0	0	0	0
FEMALE						
TOTAL	3,899		2,427		6,326	
TOTAL ADULT/ADOLESENT	3,772	100	2,405	100	6,177	100
WHITE (NON-HISPANIC)	941	25	510	21	1,451	23
BLACK (NON-HISPANIC)	2,202	58	1,573	65	3,775	61
HISPANIC	614	16	303	13	917	15
ASIAN/PACIFIC	9	0	7	0	16	0
NATIVE AMERICAN	3	0	4	0	7	0
OTHER & UNKNOWN	3	0	8	0	11	0
TOTAL PEDIATRIC	127	100	22	100	149	100
WHITE (NON-HISPANIC)	20	16	6	27	26	17
BLACK (NON-HISPANIC)	88	69	14	64	102	68
HISPANIC	17	13	1	5	18	12
ASIAN/PACIFIC	0	0	1	5	1	1
NATIVE AMERICAN	1	1	0	0	1	1
OTHER & UNKNOWN	1	1	0	0	1	1
BOTH SEXES						
TOTAL	21,888		8,556		30,444	
TOTAL ADULT/ADOLESENT	21,582	100	8,517	100	30,099	100
WHITE (NON-HISPANIC)	8,759	41	2,464	29	11,223	37
BLACK (NON-HISPANIC)	10,308	48	4,944	58	15,252	51
HISPANIC	2,425	11	1,037	12	3,462	12
ASIAN/PACIFIC	61	0	40	0	101	0
NATIVE AMERICAN	9	0	9	0	18	0
OTHER & UNKNOWN	20	0	23	0	43	0
TOTAL PEDIATRIC	306	100	39	100	345	100
WHITE (NON-HISPANIC)	58	19	9	23	67	19
BLACK (NON-HISPANIC)	185	60	28	72	213	62
HISPANIC	60	20	1	3	61	18
ASIAN/PACIFIC	1	0	1	3	2	1
NATIVE AMERICAN	1	0	0	0	1	0
OTHER & UNKNOWN	1	0	0	0	1	0

Any records that had multiple races and not Hispanic ethnicity would be in 'OTHER & UNKNOWN'.

[^] The more recent pattern, 1999-2004 is a better reflection of current distribution of cases than the earlier, 1980-1998 or the total to date, 1980-2004.

^{***} Percentages may not add to 100% due to 'rounding'.

TABLE 4
ANNUAL INCIDENCE FOR AIDS IN PENNSYLVANIA
AGE BY YEAR OF DIAGNOSIS
1999-2003

	1999		2000		2001 [^]		2002 ^{^*}		2003 ^{^*}		1980-2004 TOTAL TO DATE	
	NUMBER	percent ^{^**}	NUMBER	percent ^{^**}	NUMBER	percent ^{^**}	NUMBER	percent ^{^**}	NUMBER	percent ^{^**}	NUMBER	percent ^{^**}
ALL AGES	1,866	100	1,523	100	1,496	100	1,479	100	1,326	100	30,444	100
0-12	16	1	7	0	5	0	7	0	1	0	345	1
13-19	7	0	9	1	14	1	11	1	18	1	195	1
20-29	230	12	166	11	162	11	140	9	158	12	4,637	15
30-39	714	38	529	35	538	36	540	37	450	34	12,674	42
40-49	596	32	552	36	514	34	532	36	441	33	8,780	29
OVER 49	303	16	260	17	263	18	249	17	258	19	3,813	13

[^]Decline in AIDS incidence may be due to decrease in AIDS diagnosis attributable to improved antiretroviral therapy and
^{*}partially due to reporting delays.

^{^**}Percentages may not add to 100% due to 'rounding'.

TABLE 5
ANNUAL INCIDENCE FOR AIDS IN PENNSYLVANIA
MODE OF TRANSMISSION BY YEAR OF DIAGNOSIS
1999-2003

	1999		2000		2001 [^]		2002 ^{^*}		2003 ^{^*}		1980-2004 TOTAL TO DATE	
	NUMBER	percent ^{^***}	NUMBER	percent ^{^***}	NUMBER	percent ^{^***}	NUMBER	percent ^{^***}	NUMBER	percent ^{^***}	NUMBER	percent ^{^***}
ALL MODES	1,866	100	1,523	100	1,496	100	1,479	100	1,326	100	30,444	100
MEN SEX W/MEN (MSM)	538	29	432	28	402	27	365	25	346	26	11,925	39
INJECTING DRUG USE (IDU)	696	37	595	39	488	33	454	31	355	27	10,011	33
MSM & IDU	68	4	50	3	49	3	33	2	30	2	1,582	5
COAGULATION DISORDER	2	0	1	0	2	0	1	0	3	0	240	1
HETEROSEXUAL CONTACT	479	26	371	24	466	31	492	33	449	34	4,999	16
TRANSFUSION RECEIVED	2	0	2	0	3	0	4	0	6	0	274	1
UNDETERMINED/OTHER ^{**}	65	3	64	4	81	5	122	8	135	10	1,043	3
ALL PEDIATRIC MODES ^{***}	16	1	8	1	5	0	8	1	2	0	370	1

[^]Decline in AIDS incidence may be due to decrease in AIDS diagnosis attributable to improved antiretroviral therapy and
^{*}partially due to reporting delays.

^{**}1041 Cases remain under investigation; 2 are confirmed occupational exposure.

^{***} There are 25 adult cases which are assigned pediatric modes since infection is believed to have occurred before age 13.

^{^***}Percentages may not add to 100% due to 'rounding' .

TABLE 6
AIDS IN PENNSYLVANIA
MODE OF TRANSMISSION BY RACE/ETHNICITY
1980-1998 AND 1999-2004

	WHITE NON-HISPANIC		BLACK NON-HISPANIC		HISPANIC		ASIAN/PACIFIC		NATIVE AMERICAN		OTHER & UNKNOWN		ALL RACES	
	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}
1980-1998														
ALL MODES	8,817	100	10,493	100	2,485	100	62	100	10	100	21	100	21,888	100
MEN SEX W/MEN (MSM)	5,688	65	3,496	33	364	15	38	61	5	50	12	57	9,603	44
INJECTING DRUG USE (IDU)	1,447	16	4,287	41	1,451	58	4	6	4	40	5	24	7,198	33
MSM & IDU	461	5	737	7	135	5	1	2	0	0	0	0	1,334	6
COAGULATION DISORDER	212	2	11	0	5	0	0	0	0	0	1	5	229	1
HETEROSEXUAL CONTACT	574	7	1,450	14	406	16	9	15	0	0	2	10	2,441	11
TRANSFUSION RECEIVED	186	2	55	1	8	0	5	8	0	0	0	0	254	1
UNDETERMINED/OTHER**	174	2	269	3	55	2	4	6	0	0	0	0	502	2
ALL PEDIATRIC MODES***	75	1	188	2	61	2	1	2	1	10	1	5	327	1

** 500 cases remain under investigation; 2 are confirmed occupational exposure.

*** There are 21 adult cases which are assigned pediatric modes since infection is believed to have occurred before age 13.

1999-2004 [^]														
	NUMBER	percent	NUMBER	percent	NUMBER	percent	NUMBER	percent	NUMBER	percent	NUMBER	percent	NUMBER	percent
ALL MODES	2,473	100	4,972	100	1,038	100	41	100	9	100	23	100	8,556	100
MEN SEX W/MEN (MSM)	1,150	47	1,031	21	122	12	10	24	3	33	6	26	2,322	27
INJECTING DRUG USE (IDU)	572	23	1,770	36	456	44	5	12	2	22	8	35	2,813	33
MSM & IDU	79	3	143	3	25	2	1	2	0	0	0	0	248	3
COAGULATION DISORDER	6	0	3	0	2	0	0	0	0	0	0	0	11	0
HETEROSEXUAL CONTACT	440	18	1,770	36	319	31	19	46	2	22	8	35	2,558	30
TRANSFUSION RECEIVED	8	0	9	0	2	0	1	2	0	0	0	0	20	0
UNDETERMINED	207	8	216	4	111	11	4	10	2	22	1	4	541	6
ALL PEDIATRIC MODES***	11	0	30	1	1	0	1	2	0	0	0	0	43	1

*** There are 4 adult cases which are assigned pediatric modes since infection is believed to have occurred before age 13.

Any records that had multiple races and not Hispanic ethnicity would be in 'OTHER & UNKNOWN'.

[^] The more recent pattern, 1999-2004 is a better reflection of current distribution of cases than the earlier, 1980-1998.

***Percentages may not add to 100% due to 'rounding'.

TABLE 7
AIDS IN PENNSYLVANIA
CASES INFECTED BEFORE AGE 13* BY MODE OF TRANSMISSION
1980-1998 AND 1999-2004

MODE OF TRANSMISSION	1980-1998		1999-2004 [^]		1980-2003 TOTAL TO DATE	
	NUMBER	percent ^{^**}	NUMBER	percent ^{^**}	NUMBER	percent ^{^**}
ALL PEDIATRIC MODES	327	100	43	100	370	100
COAGULATION DISORDER	21	6	1	2	22	6
MOTHER WITH HIV	286	87	37	86	323	88
(Mother's Mode)						
INJECT DRUGS(IDU)	117		12		129	
SEX W/IDU	62		8		70	
SEX W/BISEXUAL	9		0		9	
SEX W/COAGULATION DIS	4		0		4	
SEX W/TRANSFUSION REC	2		0		2	
SEX W/HIV INFECTED	42		12		54	
TRANSFUSION REC	3		0		3	
HIV (NO MODE SPEC)	47		5		52	
TRANSFUSION RECEIVED	9	3	0	0	9	2
UNDETERMINED/OTHER	11	3	5	12	16	4

* Includes 25 cases which were diagnosed with AIDS when 13 years old or older.

[^] The more recent pattern, 1999-2004 is a better reflection of current distribution of cases than the earlier, 1980-1998 or the total to date, 1980-2004.

^{^**}Percentages may not add to 100% due to 'rounding' .

TABLE 8
AIDS IN PENNSYLVANIA
AIDS DEFINING ILLNESSES BY TIME INTERVAL OF DIAGNOSIS
1980-2004

	CONDITION PRESENTING AT AIDS DIAGNOSIS*^	1980-1998		1999-2004^		TOTAL TO DATE 1980-2004	
		NUMBER	percent^***	NUMBER	percent^***	NUMBER	percent^***
MALES	Immunological, CD4<200 cells/uL or <14%^^	8,087	45	4,875	80	12,962	54
	PCP	4,760	26	720	12	5,480	23
	Wasting syndrome	2,264	13	560	9	2,824	12
	Candidiasis, esophageal	1,890	11	313	5	2,203	9
	Kaposi's sarcoma	932	5	91	1	1,023	4
	Chronic mucocutaneous Herpes simplex	902	5	156	3	1,058	4
	Cryptococcosis	651	4	102	2	753	3
	HIV encephalopathy	646	4	75	1	721	3
	CMV	555	3	57	1	612	3
	All Other Diagnoses	3,456		551		4,007	
FEMALES	Immunological, CD4<200 cells/uL or <14%^^	1,989	51	1,825	75	3,814	60
	PCP	723	19	287	12	1,010	16
	Wasting syndrome	477	12	199	8	676	11
	Candidiasis, esophageal	423	11	161	7	584	9
	Chronic mucocutaneous Herpes simplex	307	8	122	5	429	7
	Recurrent pneumonia	181	5	76	3	257	4
	HIV encephalopathy	99	3	27	1	126	2
	Mycobacterium avium complex	96	2	27	1	123	2
	CMV	97	2	23	1	120	2
	All Other Diagnoses	569		186		755	
BOTH SEXES	Immunological, CD4<200 cells/uL or <14%^^	10,076	46	6,700	78	16,776	55
	PCP	5,483	25	1,007	12	6,490	21
	Wasting syndrome	2,741	13	759	9	3,500	11
	Candidiasis, esophageal	2,313	11	474	6	2,787	9
	Chronic mucocutaneous Herpes simplex	1,209	6	278	3	1,487	5
	Kaposi's sarcoma	949	4	97	1	1,046	3
	HIV encephalopathy	745	3	102	1	847	3
	Cryptococcosis	710	3	126	1	836	3
	Recurrent pneumonia	616	3	207	2	823	3
	All Other Diagnoses	4,262		683		4,945	

Only includes conditions found at the time of diagnosis of AIDS.

*Percentages total more than 100 because one case may have several conditions diagnosed.

^^The nine most common conditions among all males, among all females, and among all cases are listed.

^ The more recent pattern, 1999-2004, is a better reflection of current distribution of cases than the earlier, 1980-1998 or the total to date, 1980-2004.

^^ Decrease of all other presentations in 1998-2004 may be attributable to earlier diagnosis, prophylactic treatment, potent antiretroviral therapy and changes in the population progressing to AIDS stage.

TABLE 9
 CUMULATIVE CASES FOR AIDS IN PENNSYLVANIA
 MORTALITY STATUS BY COUNTY OF RESIDENCE
 1980-2004

COUNTY	PRESUMED ALIVE	REPORTED DEAD	CUMULATIVE CASES	COUNTY	PRESUMED ALIVE	REPORTED DEAD	CUMULATIVE CASES
ADAMS	24	33	57	LANCASTER	331	357	688
ALLEGHENY	1,001	1,342	2,343	LAWRENCE	22	30	52
ARMSTRONG	16	22	38	LEBANON	63	61	124
BEAVER	54	62	116	LEHIGH	389	290	679
BEDFORD	7	8	15	LUZERNE	113	153	266
BERKS	411	357	768	LYCOMING	137	113	250
BLAIR	35	40	75	MCKEAN	16	15	31
BRADFORD	13	19	32	MERCER	35	35	70
BUCKS	259	387	646	MIFFLIN	6	12	18
BUTLER	19	36	55	MONROE	88	104	192
CAMBRIA	68	53	121	MONTGOMERY	353	481	834
CAMERON	0	0	0	MONTOUR	7	8	15
CARBON	11	15	26	NORTHAMPTON	172	174	346
CENTRE	52	47	99	NORTHUMBERLAND	50	41	91
CHESTER	199	281	480	PERRY	10	15	25
CLARION	4	4	8	PHILADELPHIA	8,770	8,342	17,112
CLEARFIELD	37	21	58	PIKE	21	23	44
CLINTON	1	6	7	POTTER	2	5	7
COLUMBIA	22	15	37	SCHUYLKILL	74	49	123
CRAWFORD	21	29	50	SNYDER	10	8	18
CUMBERLAND	184	110	294	SOMERSET	46	26	72
DAUPHIN	416	435	851	SULLIVAN	4	3	7
DELAWARE	495	730	1,225	SUSQUEHANNA	7	11	18
ELK	2	3	5	TIOGA	5	14	19
ERIE	142	131	273	UNION	59	26	85
FAYETTE	25	35	60	VENANGO	8	22	30
FOREST	0	1	1	WARREN	11	8	19
FRANKLIN	47	48	95	WASHINGTON	42	70	112
FULTON	2	0	2	WAYNE	50	44	94
GREENE	16	13	29	WESTMORELAND	83	128	211
HUNTINGDON	50	25	75	WYOMING	8	9	17
INDIANA	15	18	33	YORK	298	283	581
JEFFERSON	4	9	13				
JUNIATA	5	4	9				
LACKAWANNA	96	102	198				
				STATE TOTAL =	15,043	15,401	30,444

TABLE 10
ANNUAL INCIDENCE FOR AIDS IN PENNSYLVANIA
BY COUNTY OF RESIDENCE
1999-2002

COUNTY	1999	2000	2001 [^]	2002 ^{**}	2002 INCIDENCE PER 100,000 ^{**}
ADAMS	3	2	5	3	3.18
ALLEGHENY	88	73	106	111	8.74
ARMSTRONG	2	0	2	3	4.19
BEAVER	2	6	7	6	3.35
BEDFORD	1	0	1	0	0.00
BERKS	40	38	32	40	10.47
BLAIR	1	5	5	3	2.35
BRADFORD	1	2	1	0	0.00
BUCKS	26	21	14	17	2.78
BUTLER	1	0	5	2	1.12
CAMBRIA	2	6	4	5	3.32
CAMERON	0	0	0	0	0.00
CARBON	3	1	1	0	0.00
CENTRE	4	4	5	2	1.44
CHESTER	16	15	26	21	4.67
CLARION	0	1	0	1	2.42
CLEARFIELD	3	4	6	3	3.61
CLINTON	0	1	0	0	0.00
COLUMBIA	4	0	2	1	1.56
CRAWFORD	3	4	3	3	3.34
CUMBERLAND	22	19	13	20	9.19
DAUPHIN	60	51	44	24	9.49
DELAWARE	64	56	57	33	5.96
ELK	0	0	0	0	0.00
ERIE	13	17	12	14	4.99
FAYETTE	2	1	2	2	1.36
FOREST	0	1	0	0	0.00
FRANKLIN	4	6	2	2	1.52
FULTON	0	0	0	0	0.00
GREENE	2	1	3	0	0.00
HUNTINGDON	7	3	7	2	4.38
INDIANA	0	0	0	1	1.13
JEFFERSON	1	0	1	0	0.00
JUNIATA	0	0	0	1	4.39
LACKAWANNA	8	11	12	10	4.75


COUNTY	1999	2000	2001 [^]	2002 ^{**}	2002 INCIDENCE PER 100,000 ^{**}
LANCASTER	34	21	33	23	4.81
LAWRENCE	4	2	2	4	4.25
LEBANON	7	8	9	5	4.13
LEHIGH	51	34	33	32	10.08
LUZERNE	11	5	8	14	4.45
LYCOMING	15	15	14	9	7.56
MCKEAN	1	1	1	3	6.68
MERCER	3	4	1	0	0.00
MIFFLIN	0	0	2	0	0.00
MONROE	7	7	9	10	6.72
MONTGOMERY	37	40	32	28	3.65
MONTOUR	1	3	0	1	5.49
NORTHAMPTON	17	14	15	23	8.41
NORTHUMBERLAND	3	5	4	4	4.28
PERRY	1	0	1	0	0.00
PHILADELPHIA	1,220	939	884	920	61.65
PIKE	0	1	5	2	3.99
POTTER	0	0	0	0	0.00
SCHUYLKILL	12	5	3	8	5.39
SNYDER	0	0	3	1	2.64
SOMERSET	6	2	3	2	2.52
SULLIVAN	0	0	1	1	15.43
SUSQUEHANNA	0	0	1	0	0.00
TIOGA	1	0	0	1	2.41
UNION	3	10	6	4	9.52
VENANGO	1	4	0	1	1.76
WARREN	0	1	0	0	0.00
WASHINGTON	3	9	5	6	2.94
WAYNE	8	1	5	3	6.14
WESTMORELAND	7	7	11	8	2.17
WYOMING	1	2	2	0	0.00
YORK	29	34	25	36	9.25
STATE TOTAL =	1,866	1,523	1,496	1,479	11.99

[^]Decline in AIDS incidence may be due to decrease in AIDS diagnosis attributable to improved antiretroviral therapy and

*partially due to reporting delays.


** Rates based on estimated 2002 population.

FIGURE 3
 ANNUAL INCIDENCE FOR AIDS IN PENNSYLVANIA
 NUMBER OF NEW CASES IN EACH COUNTY
 2002



TPAC = The Philadelphia AIDS Consortium
 AIDSNET = AIDSNET
 NE = Northeastern Regional AIDS Planning Coalition
 NC = North Central District AIDS Coalition
 SC = South Central Pennsylvania AIDS Planning Coalition
 SW = Southwest Pennsylvania AIDS Planning Coalition
 NW = Northwest Pennsylvania Rural AIDS Alliance

FIGURE 4
 ANNUAL INCIDENCE FOR AIDS IN PENNSYLVANIA
 INCIDENCE RATE* (PER 100,000) FOR EACH COUNTY
 2002



TPAC = The Philadelphia AIDS Consortium
 AIDSNET = AIDSNET
 NE = Northeastern Regional AIDS Planning Coalition
 NC = North Central District AIDS Coalition
 SC = South Central Pennsylvania AIDS Planning Coalition
 SW = Southwest Pennsylvania AIDS Planning Coalition
 NW = Northwest Pennsylvania Rural AIDS Alliance

*Incidence rates based on estimated 2002 population.

TABLE 11
AIDS IN PENNSYLVANIA**
CHARACTERISTICS OF CASES BY TIME INTERVAL OF DIAGNOSIS
1980-2004

		1980-1998		1999-2004 [^]		TOTAL TO DATE 1980-2004		CURRENTLY LIVING	
		NUMBER	PERCENT ^{***}	NUMBER	PERCENT ^{***}	NUMBER	PERCENT ^{***}	NUMBER	PERCENT ^{***}
	TOTAL	21,888	100	8,556	100	30,444	100	15,043	100
SEX	MALE ^{^^}	17,989	82	6,129	72	24,118	79	11,208	75
	FEMALE	3,899	18	2,427	28	6,326	21	3,835	25
RACE/ETHNIC	WHITE(NON-HISP) ^{^^}	8,817	40	2,473	29	11,290	37	4,886	32
	BLACK(NON-HISP)	10,493	48	4,972	58	15,465	51	7,964	53
	HISPANIC	2,485	11	1,038	12	3,523	12	2,088	14
	ASIAN/PACIFIC	62	0	41	0	103	0	64	0
	NATIVE AMERICAN	10	0	9	0	19	0	9	0
	UNKNOWN & MULTI-RACE	21	0	23	0	44	0	32	0
AGE (YEARS)	0-12 (PEDIATRIC)	306	1	39	0	345	1	197	1
	13-19	129	1	66	1	195	1	129	1
	20-29 ^{^^}	3,682	17	955	11	4,637	15	2,326	15
	30-39 ^{^^}	9,638	44	3,036	35	12,674	42	6,278	42
	40-49	5,826	27	2,954	35	8,780	29	4,466	30
	OVER 49	2,307	11	1,506	18	3,813	13	1,647	11
MODE OF TRANS	MEN SEX W/MEN (MSM) ^{^^}	9,603	44	2,322	27	11,925	39	4,823	32
	INJECTING DRUG(IDU)	7,198	33	2,813	33	10,011	33	5,181	34
	MSM & IDU ^{^^}	1,334	6	248	3	1,582	5	654	4
	COAGULATION DIS	229	1	11	0	240	1	67	0
	HETEROSEXUAL CONTACT	2,441	11	2,558	30	4,999	16	3,370	22
	TRANSFUSION	254	1	20	0	274	1	47	0
	UNDETERMINED/OTHER	502	2	541	6	1,043	3	688	5
	ALL PEDIATRIC ^{***}	327	1	43	1	370	1	213	1
AIDS DEFINING ILLNESSES* PRESENTING AT AIDS DIAGNOSIS	Immunological, CD4<200 cells/uL or <14% PCP ^{^^}	10,076	46	6,700	78	16,776	55	10,581	70
	Wasting syndrome ^{^^}	5,483	25	1,007	12	6,490	21	1,858	12
	Candidiasis, esophageal ^{^^}	2,741	13	759	9	3,500	11	1,225	8
	Chronic mucocutaneous Herpes simplex	2,313	11	474	6	2,787	9	922	6
	Kaposi's sarcoma ^{^^}	1,209	6	278	3	1,487	5	784	5
	HIV encephalopathy	949	4	97	1	1,046	3	246	2
	Cryptococcosis	745	3	102	1	847	3	162	1
	Recurrent pneumonia	710	3	126	1	836	3	188	1
		616	3	207	2	823	3	438	3
COALITION AREA	THE PHILADELPHIA AIDS CONSORTIUM	14,310	65	5,987	70	20,297	67	10,076	67
	AIDSNET	1,554	7	580	7	2,134	7	1,145	8
	NORTHEASTERN REGIONAL HIV PLANNING COALITION	494	2	143	2	637	2	295	2
	NORTH CENTRAL DISTRICT AIDS COALITION	496	2	171	2	667	2	362	2
	SOUTH CENTRAL PENNSYLVANIA AIDS PLANNING COALITION	2,149	10	760	9	2,909	10	1,478	10
	SOUTHWEST PENNSYLVANIA AIDS PLANNING COALITION	2,445	11	745	9	3,190	10	1,385	9
	NORTHWEST PENNSYLVANIA RURAL AIDS ALLIANCE	440	2	170	2	610	2	302	2

^{^^} For individual county data within this area, please see Tables 9 & 10

* Only AIDS defining illnesses diagnosed at the same time as AIDS diagnosis are included.
Percentages total more than 100 because one case may have several conditions diagnosed.
The nine most common conditions among all cases are listed.

^{***} Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13

[^] The more recent pattern, 1999-2004 is a better reflection of current distribution of cases than the earlier, 1980-1998 or the total to date, 1980-2004.

^{^^} Decrease by more than 2 percentage points in 1999-2004

^{***} Percentages may not add to 100% due to 'rounding'.

TABLE 12
AIDS IN PENNSYLVANIA
CHARACTERISTICS OF CASES BY TIME INTERVAL OF DIAGNOSIS
1980-2004

THE PHILADELPHIA AIDS CONSORTIUM
BUCKS, DELAWARE, CHESTER, MONTGOMERY, PHILADELPHIA COUNTIES

		1980-1998		1999-2004 [^]		TOTAL TO DATE 1980-2004		CURRENTLY LIVING	
		NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}
	TOTAL	14,310	100	5,987	100	20,297	100	10,076	100
SEX	MALE ^{^^}	11,790	82	4,207	70	15,997	79	7,435	74
	FEMALE	2,520	18	1,780	30	4,300	21	2,641	26
RACE/ETHNIC	WHITE(NON-HISP) ^{^^}	4,383	31	1,304	22	5,687	28	2,502	25
	BLACK(NON-HISP)	8,540	60	4,025	67	12,565	62	6,354	63
	HISPANIC	1,323	9	606	10	1,929	10	1,147	11
	ASIAN/PACIFIC	40	0	34	1	74	0	47	0
	NATIVE AMERICAN	5	0	5	0	10	0	5	0
	UNKNOWN & MULTI-RACE	19	0	13	0	32	0	21	0
AGE (YEARS)	0-12 (PEDIATRIC)	219	2	21	0	240	1	152	2
	13-19	72	1	53	1	125	1	87	1
	20-29 ^{^^}	2,449	17	690	12	3,139	15	1,588	16
	30-39 ^{^^}	6,150	43	2,074	35	8,224	41	4,113	41
	40-49	3,836	27	2,038	34	5,874	29	2,960	29
	OVER 49	1,584	11	1,111	19	2,695	13	1,176	12
MODE OF TRANS	MEN SEX W/MEN (MSM) ^{^^}	6,179	43	1,488	25	7,667	38	3,098	31
	INJECTING DRUG(IDU)	4,912	34	2,104	35	7,016	35	3,605	36
	MSM & IDU ^{^^}	860	6	164	3	1,024	5	417	4
	COAGULATION DIS	53	0	3	0	56	0	12	0
	HETEROSEXUAL CONTACT	1,651	12	2,059	34	3,710	18	2,559	25
	TRANSFUSION	126	1	8	0	134	1	20	0
	UNDETERMINED/OTHER	304	2	138	2	442	2	210	2
	ALL PEDIATRIC ^{***}	225	2	23	0	248	1	155	2
AIDS DEFINING ILLNESSES* PRESENTING	Immunological, CD4<200 cells/uL or <14% PCP ^{^^}	6,261	44	4,671	78	10,932	54	6,815	68
AT AIDS DIAGNOSIS	Wasting syndrome	3,458	24	659	11	4,117	20	1,186	12
	Candidiasis, esophageal ^{^^}	1,774	12	616	10	2,390	12	935	9
	Chronic mucocutaneous Herpes simplex	1,345	9	263	4	1,608	8	541	5
	Kaposi's sarcoma ^{^^}	816	6	221	4	1,037	5	609	6
	HIV encephalopathy	644	5	60	1	704	3	176	2
	Cryptococcosis	434	3	58	1	492	2	93	1
	Recurrent pneumonia	459	3	72	1	531	3	101	1
		481	3	150	3	631	3	341	3
COUNTY	BUCKS	548	4	98	2	646	3	259	3
	CHESTER	376	3	104	2	480	2	199	2
	DELAWARE	952	7	273	5	1,225	6	495	5
	MONTGOMERY	633	4	201	3	834	4	353	4
	PHILADELPHIA	11,801	82	5,311	89	17,112	84	8,770	87

* Only AIDS defining illnesses diagnosed at the same time as AIDS diagnosis are included.
Percentages total more than 100 because one case may have several conditions diagnosed.
The nine most common conditions among all cases are listed.

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13

[^] The more recent pattern, 1999-2004 is a better reflection of current distribution of cases than the earlier, 1980-1998 or the total to date, 1980-2004.

^{^^} Decrease by more than 2 percentage points in 1999-2004

^{***} Percentages may not add to 100% due to 'rounding'.

TABLE 13
AIDS IN PENNSYLVANIA
CHARACTERISTICS OF CASES BY TIME INTERVAL OF DIAGNOSIS
1980-2004

AIDSNET

BERKS, CARBON, LEHIGH, MONROE, NORTHAMPTON, SCHUYLKILL COUNTIES

		1980-1998		1999-2004 [^]		TOTAL TO DATE 1980-2004		CURRENTLY LIVING	
		NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}
	TOTAL	1,554	100	580	100	2,134	100	1,145	100
SEX	MALE ^{^^}	1,167	75	388	67	1,555	73	794	69
	FEMALE	387	25	192	33	579	27	351	31
RACE/ETHNIC	WHITE(NON-HISP) ^{^^}	716	46	230	40	946	44	423	37
	BLACK(NON-HISP)	247	16	136	23	383	18	245	21
	HISPANIC	588	38	207	36	795	37	468	41
	ASIAN/PACIFIC	3	0	4	1	7	0	6	1
	NATIVE AMERICAN	0	0	1	0	1	0	1	0
	UNKNOWN & MULTI-RACE	0	0	2	0	2	0	2	0
AGE (YEARS)	0-12 (PEDIATRIC)	21	1	5	1	26	1	12	1
	13-19	14	1	3	1	17	1	11	1
	20-29 ^{^^}	235	15	65	11	300	14	159	14
	30-39 ^{^^}	760	49	224	39	984	46	518	45
	40-49	407	26	208	36	615	29	350	31
	OVER 49	117	8	75	13	192	9	95	8
MODE OF TRANS	MEN SEX W/MEN (MSM) ^{^^}	474	31	102	18	576	27	223	19
	INJECTING DRUG(IDU) ^{^^}	651	42	184	32	835	39	467	41
	MSM & IDU ^{^^}	64	4	8	1	72	3	34	3
	COAGULATION DIS	28	2	5	1	33	2	13	1
	HETEROSEXUAL CONTACT	235	15	92	16	327	15	173	15
	TRANSFUSION	17	1	2	0	19	1	6	1
	UNDETERMINED/OTHER	62	4	181	31	243	11	214	19
	ALL PEDIATRIC ^{***}	23	1	6	1	29	1	15	1
AIDS DEFINING ILLNESS PRESENTING AT AIDS DIAGNOSIS	Immunological, CD4<200 cells/uL or <1 PCP ^{^^}	831	53	441	76	1,272	60	855	75
	Wasting syndrome ^{^^}	341	22	72	12	413	19	131	11
	Candidiasis, esophageal ^{^^}	234	15	27	5	261	12	74	6
	Chronic mucocutaneous Herpes simple	184	12	38	7	222	10	76	7
	Kaposi's sarcoma	67	4	19	3	86	4	44	4
	HIV encephalopathy	41	3	6	1	47	2	12	1
	Cryptococcosis	64	4	11	2	75	4	23	2
	Recurrent pneumonia	54	3	15	3	69	3	23	2
		38	2	15	3	53	2	29	3
COUNTY	BERKS	565	36	203	35	768	36	411	36
	CARBON	19	1	7	1	26	1	11	1
	LEHIGH	490	32	189	33	679	32	389	34
	MONROE	137	9	55	9	192	9	88	8
	NORTHAMPTON	253	16	93	16	346	16	172	15
	SCHUYLKILL	90	6	33	6	123	6	74	6

* Only AIDS defining illnesses diagnosed at the same time as AIDS diagnosis are included.
Percentages total more than 100 because one case may have several conditions diagnosed.
The nine most common conditions among all cases are listed.

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13

[^] The more recent pattern, 1999-2004 is a better reflection of current distribution of cases than the earlier, 1980-1998 or the total to date, 1980-2004.

^{^^} Decrease by more than 2 percentage points in 1999-2004

^{***} Percentages may not add to 100% due to 'rounding'.

TABLE 14
AIDS IN PENNSYLVANIA
CHARACTERISTICS OF CASES BY TIME INTERVAL OF DIAGNOSIS
1980-2004

NORTHEASTERN REGIONAL HIV PLANNING COALITION
LACKAWANNA, LUZERNE, PIKE, SUSQUEHANNA, WAYNE, WYOMING COUNTIES

		1980-1998		1999-2004 [^]		TOTAL TO DATE 1980-2004		CURRENTLY LIVING	
		NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}
	TOTAL	494	100	143	100	637	100	295	100
SEX	MALE ^{^^}	431	87	109	76	540	85	241	82
	FEMALE	63	13	34	24	97	15	54	18
RACE/ETHNIC	WHITE(NON-HISP) ^{^^}	348	70	79	55	427	67	171	58
	BLACK(NON-HISP)	92	19	38	27	130	20	76	26
	HISPANIC	54	11	25	17	79	12	48	16
	ASIAN/PACIFIC	0	0	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	1	1	1	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0
AGE (YEARS)	0-12 (PEDIATRIC)	8	2	1	1	9	1	3	1
	13-19	5	1	1	1	6	1	4	1
	20-29 ^{^^}	74	15	14	10	88	14	42	14
	30-39 ^{^^}	228	46	52	36	280	44	127	43
	40-49	134	27	52	36	186	29	89	30
	OVER 49	45	9	23	16	68	11	30	10
MODE OF TRANS	MEN SEX W/MEN (MSM) ^{^^}	195	39	37	26	232	36	83	28
	INJECTING DRUG(IDU) ^{^^}	184	37	48	34	232	36	117	40
	MSM & IDU ^{^^}	41	8	5	3	46	7	22	7
	COAGULATION DIS	12	2	0	0	12	2	4	1
	HETEROSEXUAL CONTACT	33	7	16	11	49	8	26	9
	TRANSFUSION	7	1	0	0	7	1	0	0
	UNDETERMINED/OTHER	12	2	36	25	48	8	38	13
	ALL PEDIATRIC ^{***}	10	2	1	1	11	2	5	2
AIDS DEFINING ILLNESSES* PRESENTING AT AIDS DIAGNOSIS	Immunological, CD4<200 cells/ uL or <14%	228	46	107	75	335	53	206	70
	PCP ^{^^}	115	23	18	13	133	21	32	11
	Wasting syndrome	63	13	11	8	74	12	24	8
	Candidiasis, esophageal ^{^^}	67	14	8	6	75	12	21	7
	Chronic mucocutaneous Herpes simplex	26	5	4	3	30	5	14	5
	Kaposi's sarcoma ^{^^}	28	6	1	1	29	5	5	2
	HIV encephalopathy	25	5	4	3	29	5	6	2
	Cryptococcosis	15	3	4	3	19	3	7	2
	Recurrent pneumonia	12	2	3	2	15	2	6	2
	COUNTY	LACKAWANNA	146	30	52	36	198	31	96
LUZERNE ^{^^}		216	44	50	35	266	42	113	38
PIKE		33	7	11	8	44	7	21	7
SUSQUEHANNA		14	3	4	3	18	3	7	2
WAYNE		73	15	21	15	94	15	50	17
WYOMING		12	2	5	3	17	3	8	3

* Only AIDS defining illnesses diagnosed at the same time as AIDS diagnosis are included.
Percentages total more than 100 because one case may have several conditions diagnosed.
The nine most common conditions among all cases are listed.

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13

[^] The more recent pattern, 1999-2004 is a better reflection of current distribution of cases than the earlier, 1980-1998 or the total to date, 1980-2004.

^{^^} Decrease by more than 2 percentage points in 1999-2004

^{***} Percentages may not add to 100% due to 'rounding'.

TABLE 15
AIDS IN PENNSYLVANIA
CHARACTERISTICS OF CASES BY TIME INTERVAL OF DIAGNOSIS
1980-2004

NORTH CENTRAL DISTRICT AIDS COALITION
BRADFORD, CENTRE, CLINTON, COLUMBIA, LYCOMING, MONTOUR, NORTHUMBERLAND
POTTER, SNYDER, SULLIVAN, TIOGA, UNION COUNTIES

		1980-1998		1999-2004 [^]		TOTAL TO DATE 1980-2004		CURRENTLY LIVING	
		NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}
	TOTAL	496	100	171	100	667	100	362	100
SEX	MALE ^{^^}	392	79	121	71	513	77	272	75
	FEMALE	104	21	50	29	154	23	90	25
RACE/ETHNIC	WHITE(NON-HISP) ^{^^}	257	52	79	46	336	50	156	43
	BLACK(NON-HISP)	176	35	79	46	255	38	166	46
	HISPANIC ^{^^}	61	12	12	7	73	11	37	10
	ASIAN/PACIFIC	2	0	1	1	3	0	3	1
	NATIVE AMERICAN	0	0	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0
AGE (YEARS)	0-12 (PEDIATRIC)	4	1	0	0	4	1	1	0
	13-19	2	0	1	1	3	0	2	1
	20-29 ^{^^}	82	17	15	9	97	15	51	14
	30-39 ^{^^}	241	49	67	39	308	46	164	45
	40-49	119	24	65	38	184	28	118	33
	OVER 49	48	10	23	13	71	11	26	7
MODE OF TRANS	MEN SEX W/MEN (MSM) ^{^^}	164	33	49	29	213	32	88	24
	INJECTING DRUG(IDU) ^{^^}	217	44	68	40	285	43	176	49
	MSM & IDU ^{^^}	47	9	5	3	52	8	29	8
	COAGULATION DIS ^{^^}	14	3	0	0	14	2	4	1
	HETEROSEXUAL CONTACT	39	8	22	13	61	9	35	10
	TRANSFUSION	5	1	2	1	7	1	2	1
	UNDETERMINED/OTHER	6	1	25	15	31	5	27	7
	ALL PEDIATRIC ^{***}	4	1	0	0	4	1	1	0
AIDS DEFINING ILLNESSES* PRESENTING AT AIDS DIAGNOSIS	Immunological, CD4<200 cells/ μ L or <14% PCP ^{^^}	285	57	148	87	433	65	292	81
	Wasting syndrome	112	23	19	11	131	20	46	13
	Candidiasis, esophageal ^{^^}	31	6	6	4	37	6	9	2
	Candidiasis, oral ^{^^}	66	13	14	8	80	12	32	9
	Chronic mucocutaneous Herpes simplex ^{^^}	29	6	5	3	34	5	11	3
	Kaposi's sarcoma	13	3	2	1	15	2	4	1
	HIV encephalopathy	10	2	4	2	14	2	5	1
	Cryptococcosis	11	2	3	2	14	2	3	1
	Recurrent pneumonia	6	1	2	1	8	1	5	1
COUNTY	BRADFORD	28	6	4	2	32	5	13	4
	CENTRE ^{^^}	81	16	18	11	99	15	52	14
	CLINTON	5	1	2	1	7	1	1	0
	COLUMBIA	28	6	9	5	37	6	22	6
	LYCOMING	178	36	72	42	250	37	137	38
	MONTOUR	9	2	6	4	15	2	7	2
	NORTHUMBERLAND ^{^^}	71	14	20	12	91	14	50	14
	POTTER	7	1	0	0	7	1	2	1
	SNYDER	14	3	4	2	18	3	10	3
	SULLIVAN	5	1	2	1	7	1	4	1
	TIOGA	16	3	3	2	19	3	5	1
	UNION	54	11	31	18	85	13	59	16

* Only AIDS defining illnesses diagnosed at the same time as AIDS diagnosis are included.
Percentages total more than 100 because one case may have several conditions diagnosed.
The nine most common conditions among all cases are listed.

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13

[^] The more recent pattern, 1999-2004 is a better reflection of current distribution of cases than the earlier, 1980-1998 or the total to date, 1980-2004.

^{^^} Decrease by more than 2 percentage points in 1999-2004

^{***} Percentages may not add to 100% due to 'rounding'.

TABLE 16
AIDS IN PENNSYLVANIA
CHARACTERISTICS OF CASES BY TIME INTERVAL OF DIAGNOSIS
1980-2004

SOUTH CENTRAL PENNSYLVANIA AIDS PLANNING COALITION

ADAMS, BEDFORD, BLAIR, CUMBERLAND, DAUPHIN, FRANKLIN, FULTON, HUNTINGDON,
 JUNIATA, LANCASTER, LEBANON, MIFFLIN, PERRY, YORK COUNTIES

		1980-1998		1999-2004 [^]		TOTAL TO DATE 1980-2004		CURRENTLY LIVING	
		NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}
	TOTAL	2,149	100	760	100	2,909	100	1,478	100
SEX	MALE ^{^^}	1,677	78	567	75	2,244	77	1,086	73
	FEMALE	472	22	193	25	665	23	392	27
RACE/ETHNIC	WHITE(NON-HISP) ^{^^}	1,195	56	344	45	1,539	53	732	50
	BLACK(NON-HISP)	568	26	276	36	844	29	451	31
	HISPANIC	378	18	134	18	512	18	288	19
	ASIAN/PACIFIC	4	0	2	0	6	0	3	0
	NATIVE AMERICAN	4	0	1	0	5	0	2	0
	UNKNOWN & MULTI-RACE	0	0	3	0	3	0	2	0
AGE (YEARS)	0-12 (PEDIATRIC)	35	2	5	1	40	1	15	1
	13-19	21	1	4	1	25	1	12	1
	20-29 ^{^^}	358	17	76	10	434	15	218	15
	30-39 ^{^^}	974	45	291	38	1,265	43	642	43
	40-49	562	26	260	34	822	28	439	30
	OVER 49	199	9	124	16	323	11	152	10
MODE OF TRANS	MEN SEX W/MEN (MSM) ^{^^}	846	39	225	30	1,071	37	485	33
	INJECTING DRUG(IDU)	699	33	233	31	932	32	477	32
	MSM & IDU ^{^^}	140	7	33	4	173	6	65	4
	COAGULATION DIS ^{^^}	51	2	1	0	52	2	16	1
	HETEROSEXUAL CONTACT	288	13	168	22	456	16	296	20
	TRANSFUSION	35	2	3	0	38	1	8	1
	UNDETERMINED/OTHER	48	2	91	12	139	5	112	8
	ALL PEDIATRIC ^{***}	42	2	6	1	48	2	19	1
AIDS DEFINING ILLNESSES* PRESENTING AT AIDS DIAGNOSIS	Immunological, CD4<200 cells/L or <14% PCP ^{^^}	1,131	53	613	81	1,744	60	1,148	78
	Wasting syndrome ^{^^}	527	25	100	13	627	22	183	12
	Candidiasis, esophageal ^{^^}	287	13	39	5	326	11	74	5
	Chronic mucocutaneous Herpes simplex ^{^^}	263	12	60	8	323	11	95	6
	Kaposi's sarcoma	151	7	13	2	164	6	59	4
	HIV encephalopathy	72	3	12	2	84	3	17	1
	Cryptococcosis	63	3	15	2	78	3	18	1
	Recurrent pneumonia	67	3	16	2	83	3	24	2
		40	2	21	3	61	2	32	2
	COUNTY	ADAMS	41	2	16	2	57	2	24
BEDFORD		13	1	2	0	15	1	7	0
BLAIR		53	2	22	3	75	3	35	2
CUMBERLAND		204	9	90	12	294	10	184	12
DAUPHIN		628	29	223	29	851	29	416	28
FRANKLIN		74	3	21	3	95	3	47	3
FULTON		2	0	0	0	2	0	2	0
HUNTINGDON		52	2	23	3	75	3	50	3
JUNIATA		7	0	2	0	9	0	5	0
LANCASTER ^{^^}		537	25	151	20	688	24	331	22
LEBANON		91	4	33	4	124	4	63	4
MIFFLIN		16	1	2	0	18	1	6	0
PERRY		22	1	3	0	25	1	10	1
YORK	409	19	172	23	581	20	298	20	

* Only AIDS defining illnesses diagnosed at the same time as AIDS diagnosis are included.
 Percentages total more than 100 because one case may have several conditions diagnosed.
 The nine most common conditions among all cases are listed.

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13

[^] The more recent pattern, 1999-2004 is a better reflection of current distribution of cases than the earlier, 1980-1998 or the total to date, 1980-2004.

^{^^} Decrease by more than 2 percentage points in 1999-2004

^{^^^} Percentages may not add to 100% due to 'rounding'.

TABLE 17
AIDS IN PENNSYLVANIA
CHARACTERISTICS OF CASES BY TIME INTERVAL OF DIAGNOSIS
1980-2004

SOUTHWEST PENNSYLVANIA AIDS PLANNING COALITION
ALLEGHENY, ARMSTRONG, BEAVER, BUTLER, CAMBRIA, FAYETTE, GREENE
INDIANA, SOMERSET, WASHINGTON, WESTMORELAND COUNTIES

		1980-1998		1999-2004 [^]		TOTAL TO DATE 1980-2004		CURRENTLY LIVING	
		NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}
	TOTAL	2,445	100	745	100	3,190	100	1,385	100
SEX	MALE ^{^^}	2,161	88	601	81	2,762	87	1,142	82
	FEMALE	284	12	144	19	428	13	243	18
RACE/ETHNIC	WHITE(NON-HISP) ^{^^}	1,595	65	353	47	1,948	61	741	54
	BLACK(NON-HISP)	784	32	360	48	1,144	36	576	42
	HISPANIC	54	2	27	4	81	3	57	4
	ASIAN/PACIFIC	9	0	0	0	9	0	4	0
	NATIVE AMERICAN	1	0	0	0	1	0	0	0
	UNKNOWN & MULTI-RACE	2	0	5	1	7	0	7	1
AGE (YEARS)	0-12 (PEDIATRIC)	17	1	3	0	20	1	10	1
	13-19	9	0	3	0	12	0	8	1
	20-29 ^{^^}	417	17	69	9	486	15	213	15
	30-39 ^{^^}	1,092	45	266	36	1,358	43	590	43
	40-49	655	27	271	36	926	29	424	31
	OVER 49	255	10	133	18	388	12	140	10
MODE OF TRANS	MEN SEX W/MEN (MSM) ^{^^}	1,534	63	359	48	1,893	59	737	53
	INJECTING DRUG(IDU)	427	17	128	17	555	17	252	18
	MSM & IDU ^{^^}	154	6	25	3	179	6	63	5
	COAGULATION DIS	55	2	2	0	57	2	14	1
	HETEROSEXUAL CONTACT	149	6	169	23	318	10	229	17
	TRANSFUSION	50	2	5	1	55	2	11	1
	UNDETERMINED/OTHER	58	2	54	7	112	4	68	5
	ALL PEDIATRIC ^{***}	18	1	3	0	21	1	11	1
AIDS DEFINING ILLNESSES* PRESENTING AT AIDS DIAGNOSIS	Immunological, CD4<200 cells/ μ L or <14% PCP ^{^^}	1,088	44	587	79	1,675	53	1,037	75
	Wasting syndrome ^{^^}	822	34	111	15	933	29	240	17
	Candidiasis, esophageal	291	12	47	6	338	11	91	7
	Chronic mucocutaneous Herpes simplex	337	14	84	11	421	13	140	10
	Kaposi's sarcoma ^{^^}	103	4	11	1	114	4	38	3
	Kaposi's sarcoma ^{^^}	139	6	14	2	153	5	26	2
	HIV encephalopathy ^{^^}	133	5	4	1	137	4	10	1
	Cryptococcosis	88	4	12	2	100	3	20	1
	Recurrent pneumonia	24	1	15	2	39	1	20	1
COUNTY	ALLEGHENY	1,778	73	565	76	2,343	73	1,001	72
	ARMSTRONG	29	1	9	1	38	1	16	1
	BEAVER	88	4	28	4	116	4	54	4
	BUTLER	45	2	10	1	55	2	19	1
	CAMBRIA	96	4	25	3	121	4	68	5
	FAYETTE	51	2	9	1	60	2	25	2
	GREENE	22	1	7	1	29	1	16	1
	INDIANA	27	1	6	1	33	1	15	1
	SOMERSET	55	2	17	2	72	2	46	3
	WASHINGTON	85	3	27	4	112	4	42	3
	WESTMORELAND	169	7	42	6	211	7	83	6

* Only AIDS defining illnesses diagnosed at the same time as AIDS diagnosis are included.

Percentages total more than 100 because one case may have several conditions diagnosed.

The nine most common conditions among all cases are listed.

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13

[^] The more recent pattern, 1999-2004 is a better reflection of current distribution of cases than the earlier, 1980-1998 or the total to date, 1980-2004.

^{^^} Decrease by more than 2 percentage points in 1999-2004

^{***} Percentages may not add to 100% due to 'rounding'.

TABLE 18
AIDS IN PENNSYLVANIA
CHARACTERISTICS OF CASES BY TIME INTERVAL OF DIAGNOSIS
1980-2004

NORTHWEST PENNSYLVANIA RURAL AIDS ALLIANCE

CAMERON, CLARION, CLEARFIELD, CRAWFORD, ELK, ERIE, FOREST, JEFFERSON,
LAWRENCE, MCKEAN, MERCER, VENANGO, WARREN COUNTIES

		1980-1998		1999-2004 [^]		TOTAL TO DATE 1980-2004		CURRENTLY LIVING	
		NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}	NUMBER	percent ^{***}
	TOTAL	440	100	170	100	610	100	302	100
SEX	MALE ^{^^}	371	84	136	80	507	83	238	79
	FEMALE	69	16	34	20	103	17	64	21
RACE/ETHNIC	WHITE(NON-HISP) ^{^^}	323	73	84	49	407	67	161	53
	BLACK(NON-HISP)	86	20	58	34	144	24	96	32
	HISPANIC	27	6	27	16	54	9	43	14
	ASIAN/PACIFIC	4	1	0	0	4	1	1	0
	NATIVE AMERICAN	0	0	1	1	1	0	1	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0
AGE (YEARS)	0-12 (PEDIATRIC)	2	0	4	2	6	1	4	1
	13-19	6	1	1	1	7	1	5	2
	20-29	67	15	26	15	93	15	55	18
	30-39 ^{^^}	193	44	62	36	255	42	124	41
	40-49	113	26	60	35	173	28	86	28
	OVER 49 ^{^^}	59	13	17	10	76	12	28	9
MODE OF TRANS	MEN SEX W/MEN (MSM) ^{^^}	211	48	62	36	273	45	109	36
	INJECTING DRUG(IDU)	108	25	48	28	156	26	87	29
	MSM & IDU	28	6	8	5	36	6	24	8
	COAGULATION DIS ^{^^}	16	4	0	0	16	3	4	1
	HETEROSEXUAL CONTACT	46	10	32	19	78	13	52	17
	TRANSFUSION ^{^^}	14	3	0	0	14	2	0	0
	UNDETERMINED/OTHER	12	3	16	9	28	5	19	6
	ALL PEDIATRIC ^{***}	5	1	4	2	9	1	7	2
AIDS DEFINING ILLNESSES* PRESENTING AT AIDS DIAGNOSIS	Immunological, CD4<200 cells/L or <14% PCP ^{^^}	252	57	133	78	385	63	228	76
	Wasting syndrome ^{^^}	108	25	28	16	136	22	40	13
	Candidiasis, esophageal ^{^^}	61	14	13	8	74	12	18	6
	Chronic mucocutaneous Herpes simplex	51	12	7	4	58	10	17	6
	Kaposi's sarcoma	17	4	5	3	22	4	9	3
	HIV encephalopathy	12	3	2	1	14	2	6	2
	Cryptococcosis	16	4	6	4	22	4	7	2
	Recurrent pneumonia	16	4	4	2	20	3	10	3
		15	3	1	1	16	3	5	2
COUNTY	CAMERON	0	0	0	0	0	0	0	0
	CLARION	6	1	2	1	8	1	4	1
	CLEARFIELD	36	8	22	13	58	10	37	12
	CRAWFORD	36	8	14	8	50	8	21	7
	ELK	5	1	0	0	5	1	2	1
	ERIE	200	45	73	43	273	45	142	47
	FOREST	0	0	1	1	1	0	0	0
	JEFFERSON	11	3	2	1	13	2	4	1
	LAWRENCE	39	9	13	8	52	9	22	7
	MCKEAN	23	5	8	5	31	5	16	5
	MERCER	48	11	22	13	70	11	35	12
	VENANGO	24	5	6	4	30	5	8	3
	WARREN	12	3	7	4	19	3	11	4

* Only AIDS defining illnesses diagnosed at the same time as AIDS diagnosis are included.
Percentages total more than 100 because one case may have several conditions diagnosed.
The nine most common conditions among all cases are listed.

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13

[^] The more recent pattern, 1999-2004 is a better reflection of current distribution of cases than the earlier, 1980-1998 or the total to date, 1980-2004.

^{^^} Decrease by more than 2 percentage points in 1999-2004

^{***} Percentages may not add to 100% due to 'rounding'.

LIMITATIONS OF HIV COUNSELING AND TESTING DATA FROM PUBLICLY SUPPORTED SITES

The counseling and testing (C/T) data in this report represent visits for counseling only/or counseling and testing offered at sites that provide C/T as part of the Pennsylvania Department of Health's HIV Prevention Program.

When reviewing these data, please consider the following limitations.

C/T data from publicly funded sites represent only a small portion of the individuals who actually receive C/T. A survey done in 1993 by the Centers for Disease Control and Prevention revealed that, nationwide, publicly funded sites provide C/T to about one third of all individuals who receive C/T. The other two thirds receive C/T in the private sector, e.g., physicians' offices, hospitals, etc.

Individuals voluntarily present for C/T at publicly funded sites and do not represent any specific population. Their demographic information and test results cannot be used to set seroprevalence levels for any specific age, sex, race, ethnic or risk group.

At publicly funded sites, individuals are asked to provide personal information and to complete a self-assessment of behaviors that place them at risk for HIV. Verification of this information is not required.

In Pennsylvania, data for 1995 show that approximately 44% of all individuals who receive C/T at publicly funded sites have previously been counseled and tested. Their personal and risk information may, therefore, be included in these data more than once.

At this time in Pennsylvania, C/T data are used to document the provision of HIV prevention services and, with other information on where at-risk populations reside, may be helpful in determining where additional HIV prevention services are needed.

For additional information on C/T data, please contact the Bureau of Communicable Diseases, Division of HIV/AIDS at 717-783-0574.

TABLE 19
 PUBLICLY FUNDED HIV COUNSELING & TESTING IN PENNSYLVANIA
 NUMBER OF VISITS* BY CLIENT'S COUNTY OF RESIDENCE
 2000-2004**

County	2000	2001	2002	2003	2004	TOTAL
Adams	174	288	345	421	76	1,304
Allegheny	13,857	7,180	11,336	11,613	8,013	51,999
Armstrong	75	61	73	48	18	275
Beaver	329	288	730	1,013	533	2,893
Bedford	96	94	99	44	8	341
Berks	2,968	3,861	5,046	6,578	3,695	22,148
Blair	768	650	408	447	119	2,392
Bradford	103	101	86	109	39	438
Bucks	1,399	1,384	1,426	1,660	434	6,303
Butler	378	306	502	423	197	1,806
Cambria	497	389	390	423	150	1,849
Cameron	2	2	3	0	2	9
Carbon	79	122	212	165	54	632
Centre	718	882	1,034	1,573	458	4,665
Chester	553	580	753	965	397	3,248
Clarion	160	158	120	196	62	696
Clearfield	164	142	195	181	26	708
Clinton	190	197	177	140	36	740
Columbia	435	369	347	423	74	1,648
Crawford	122	105	125	113	34	499
Cumberland	537	435	520	787	251	2,530
Dauphin	1,210	1,870	1,899	2,191	1,314	8,484
Delaware	1,889	2,835	2,457	3,272	1,078	11,531
Elk	40	34	65	68	11	218
Erie	1,583	1,669	1,707	2,259	531	7,749
Fayette	418	405	399	489	123	1,834
Forest	4	6	9	1	0	20
Franklin	414	516	418	482	69	1,899
Fulton	22	36	51	31	8	148
Greene	45	24	30	65	27	191
Huntingdon	140	125	150	137	45	597
Indiana	374	309	429	503	131	1,746
Jefferson	70	53	90	125	17	355
Juniata	37	51	31	35	4	158
Lackawanna	362	426	438	405	223	1,854
Lancaster	1,668	1,855	2,020	2,320	760	8,623
Lawrence	110	56	76	92	28	362
Lebanon	403	390	415	413	264	1,885
Lehigh	2,950	2,787	2,597	3,534	1,240	13,108
Luzerne	376	507	653	617	258	2,411
Lycoming	1,197	1,125	1,357	1,383	443	5,505
McKean	89	86	93	125	15	408
Mercer	267	255	300	262	77	1,161
Mifflin	224	210	180	138	52	804
Monroe	152	355	469	282	152	1,410
Montgomery	1,953	1,589	1,846	2,041	523	7,952
Montour	260	222	181	147	31	841
Northampton	1,787	1,971	2,099	2,117	603	8,577
Northumberland	559	775	752	733	150	2,969
Perry	71	61	60	44	8	244
Philadelphia	32,046	36,323	36,539	39,294	27,506	171,708
Pike	67	69	156	138	32	462
Potter	10	22	11	11	5	59
Schuylkill	860	885	967	939	235	3,886
Snyder	193	124	132	85	37	571
Somerset	141	125	136	158	37	597
Sullivan	9	3	4	2	2	20
Susquehanna	12	16	37	38	4	107
Tioga	164	129	161	108	31	593
Union	349	324	239	231	91	1,234
Venango	399	314	209	229	45	1,196
Warren	107	130	111	136	42	526
Washington	354	294	445	484	128	1,705
Wayne	73	81	119	93	33	399
Westmoreland	712	529	743	816	227	3,027
Wyoming	33	32	53	67	24	209
York	1,428	1,561	1,520	1,654	329	6,492
Unknown	349	512	527	415	352	2,155
Out of State	902	1,256	1,798	1,051	540	5,547
TOTALS	80,486	80,926	89,105	97,582	52,561	400,660
#POSITIVES	1,067	1,144	1,148	1,123	580	5,062
PERCENTAGE	1.3%	1.4%	1.3%	1.2%	1.1%	1.3%

* A visit consists of a client meeting face to face with a counselor for counseling only, or counseling and testing.
 In 2004 approximately 89% of clients counseled consented to testing.

** Records received to date of this report, December 31, 2004.

TABLE 20A
 PUBLICLY FUNDED HIV COUNSELING & TESTING IN PENNSYLVANIA
 NUMBER OF VISITS BY AGE, RACE/ETHNICITY AND SEX
 2003

AGE GROUP	WHITE NON-HISPANIC		BLACK NON-HISPANIC		HISPANIC		ASIAN/PACIFIC ISLANDS		AM INDIAN/ALASKAN NATIVE		OTHER/UNDETERMINED		TOTAL	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
< 5	13	5	7	10	4	5	3	3	0	0	0	0	27	23
5-12	21	23	28	27	23	25	3	5	0	0	2	1	77	81
13-19	3,005	3,399	2,728	3,499	1,132	1,321	77	114	7	6	142	115	7,091	8,454
20-29	9,537	8,311	6,441	6,102	3,385	2,327	241	514	24	12	272	269	19,900	17,535
30-39	4,833	3,222	4,959	4,098	2,219	1,309	148	191	14	9	115	117	12,288	8,946
40-49	3,835	2,438	4,781	2,856	1,227	689	48	52	19	10	69	25	9,979	6,070
>= 50	1,754	746	2,153	834	465	235	28	26	1	2	38	10	4,439	1,853
Unknown	2	6	1	2	2	0	0	0	0	0	0	0	5	8
Not specified	75	44	95	141	29	15	1	7	0	2	5	2	205	211
TOTAL	23,075	18,194	21,193	17,569	8,486	5,926	549	912	65	41	643	539	54,011	43,181

390 records were incomplete, these are not included in this table.

TABLE 20B
PUBLICLY FUNDED HIV COUNSELING & TESTING IN PENNSYLVANIA
NUMBER OF VISITS BY AGE, RACE/ETHNICITY AND SEX
2004

AGE GROUP	WHITE NON-HISPANIC		BLACK NON-HISPANIC		HISPANIC		ASIAN/PACIFIC ISLANDS		AM INDIAN/ALASKAN NATIVE		OTHER/UNDETERMINED		TOTAL	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
< 5	5	4	14	13	6	1	0	0	0	0	1	1	26	19
5-12	13	2	16	19	4	7	0	1	0	0	2	0	35	29
13-19	1,059	1,240	1,235	2,112	668	813	27	54	5	5	40	57	3,034	4,281
20-29	4,279	3,362	3,804	3,902	1,760	1,570	149	303	10	11	147	182	10,149	9,330
30-39	2,323	1,363	2,950	2,406	1,245	921	90	109	7	8	74	55	6,689	4,862
40-49	1,974	1,061	3,032	1,817	743	491	23	29	7	10	30	23	5,809	3,431
>= 50	955	369	1,505	673	326	211	13	7	3	1	20	6	2,822	1,267
Unknown	1	2	0	0	1	0	0	0	0	0	0	0	2	2
Not specified	34	17	55	52	10	7	0	1	0	0	2	3	101	80
TOTAL	10,643	7,420	12,611	10,994	4,763	4,021	302	504	32	35	316	327	28,667	23,301

593 records were incomplete, these are not included in this table.

TABLE 21A
 PUBLICLY FUNDED HIV COUNSELING & TESTING IN PENNSYLVANIA
 NUMBER OF VISITS BY SELF-ACKNOWLEDGED RISK EXPOSURE GROUP
 2003

RISK EXPOSURE GROUPS	VISITS
MSM INJECTING DRUG USER	589
MSM	5,733
HETEROSEXUAL INJECTING DRUG USER	12,147
SEX PARTNER AT RISK*	19,011
CHILD OF WOMAN WITH HIV/AIDS	29
STD DIAGNOSIS	10,016
SEX FOR DRUGS OR MONEY	1,064
SEX WHILE USING NON-INJECTING DRUGS	11,470
HEMOPHILIA/BLOOD RECIPIENT	221
VICTIM OF SEXUAL ASSAULT	568
HEALTH CARE EXPOSURE	499
NO ACKNOWLEDGED RISK	4,131
HETEROSEXUAL/NO OTHER RISK	30,108
OTHER	901
NOT SPECIFIED	1,095
TOTAL	97,582

SEX PARTNER AT RISK*

FEMALE SEX PARTNER OF MSM	542
SEX PARTNER OF PERSON WITH HIV/AIDS	1,226
SEX PARTNER OF INJECTING DRUG USER	1,994
SEX PARTNER OF PERSON WITH OTHER HIV/AIDS RISK	15,249
TOTAL	19,011

TABLE 21B
 PUBLICLY FUNDED HIV COUNSELING & TESTING IN PENNSYLVANIA
 NUMBER OF VISITS BY SELF-ACKNOWLEDGED RISK EXPOSURE GROUP
 2004

RISK EXPOSURE GROUPS	VISITS
MSM INJECTING DRUG USER	288
MSM	3,483
HETEROSEXUAL INJECTING DRUG USER	6,941
SEX PARTNER AT RISK*	8,801
CHILD OF WOMAN WITH HIV/AIDS	19
STD DIAGNOSIS	6,284
SEX FOR DRUGS OR MONEY	628
SEX WHILE USING NON-INJECTING DRUGS	5,378
HEMOPHILIA/BLOOD RECIPIENT	116
VICTIM OF SEXUAL ASSAULT	241
HEALTH CARE EXPOSURE	272
NO ACKNOWLEDGED RISK	2,090
HETEROSEXUAL/NO OTHER RISK	16,679
OTHER	578
NOT SPECIFIED	763
TOTAL	52,561

SEX PARTNER AT RISK*

FEMALE SEX PARTNER OF MSM	299
SEX PARTNER OF PERSON WITH HIV/AIDS	623
SEX PARTNER OF INJECTING DRUG USER	1,021
SEX PARTNER OF PERSON WITH OTHER HIV/AIDS RISK	6,858
TOTAL	8,801